

DENSIFY - Lik

Version: #1.0

Page 1 of Total 6

Trade Name:	DENSIFY - LIK			
SUPPLIER:	Solutions – Sealers for Stone & Tile.			
ADDRESS:	2/27 Central Park Drive, Yandina	2/27 Central Park Drive, Yandina QLD 4561, Australia.		
TELEPHONE:	1300 4 STONE (78663)	FAX:	+ 61 7 5446 7381	
EMERGENCY PHONE:	13 1126 in Australia	Email:		
	0800 764 766 in New Zealand		info@solutionssealers.com.au	
Substance:	Water based liquid	Product Use:	Silicate hardener	
Creation Date:	April 2023	Revision Date:	April 2028	

SECTION 2 – HAZARDS IDENTIFIC	ATION	
Classification of the substance or	mixture	
Poisons Schedule	S5 (alkaline salts)	
Dangerous Goods	Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail"	
GHS Classification	Based on available information, this material is classified as Hazardous according to the	
	Globally Harmonised System of Classification and labelling of Chemicals (GHS7) including	
	Work, Health and Safety regulations, Australia.	
	Eye Irritation Category 2A	
	• Specific Target Organ Toxicity Category 3	
	Skin Irritation Category 2	
Label elements		
GHS label pictograms	GHS07	
Signal word	WARNING	
Hazard statement(s)		
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H315	Causes skin irritation.	
Precautionary statement(s): Gen	eral	
P102	Keep out of reach of children.	
P103	Read label before use.	
Precautionary statement(s): Prev	rention	
P264	Wash hands and skin thoroughly after handling	
P280	Wear eye protection/ face protection/ protective gloves.	
P261	61 Avoid breathing dust/fume/ gas/mist/ vapours/spray.	
P271	Use only outdoors or in a well-ventilated area.	
Precautionary statement(s): Resp	ponse	
P302+P352	IF ON SKIN: Wash with plenty of water/	
P321	Specific treatment (see First Aid Measures on this label).	
P332+P313	If skin irritation occurs: Get medical advice/attention.	



P362 +P364	Take off contaminated clothing and wash it before reuse.		
P304 + P340	IF INHALED: remove person to fresh air and keep comfortable for breathing.		
P312	Call a POISON CENTER/doctor/if you feel unwell.		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.		
P337 + P313	If eye irritation persists: Get medical advice/attention.		
Precautionary statement(s): Storage			
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P405	Store locked up.		
Precautionary statement(s): Disposal			
P501	1 Dispose of contents/ container in accordance with local regulations.		
Note			
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to <b>1:10</b> or greater with water, they no longer apply. However, good hygiene and housekeeping practices should be adhered to.		

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS		
Ingredients:	CAS Number:	Proportion:
Potassium silicate	1312-76-1	< 10% w/w
Lithium silicate	12627-14-4	<10% w/w
Ingredients determined to be non-hazardous at concentrations present.	various	To 100 % w/w
NOTE: Ingradiante determined not to be bazardous are present in concentrations that do not aveced the relevant sut off concentrations as found from Safe		

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from Safe Work Australia: Hazardous Chemical Information System (HCIS), European Chemicals Agency (ECHA), or have been found NOT to meet the criteria of a hazardous substance as defined in the Safe Work Australia publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS7). Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

SECTION 4 – FIRST AID MI	EASURES	
Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.	
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated	
	clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.	
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove	
	contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a	
	doctor, or for at least 15 minutes. If eye irritation persists: Get medical advice/attention.	
Ingestion Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unco		
	Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).	
Advice to Doctor	Treat symptomatically.	
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand	
	can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New	
	Zealand 0800 764 766).	
First Aid Facilities	Eye wash station. Normal washroom facilities.	

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion	Non flammable liquid. However, on evaporation of the aqueous component, the residual	
Hazards	material may burn.	
Extinguishing Media	Use an extinguishing media suitable for surrounding fires. Dry chemical. Water spray. Dry	
	powder. Foam. Carbon dioxide.	



DENSIFY - Lik

Date of Issue: April 2023

Version: #1.0

Page 3 of Total 6

Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-
	contained breathing apparatus if risk of exposure to products of combustion or decomposition.
Flash Point	None

SECTION 6 – ACCIDENTAL RELEASE MEASURES			
Emergency Procedures	Minor spills do not normally need any special clean-up measures – rinse with water.		
	In the event of a major spill, prevent spillage from entering drains or water courses. Wear		
	appropriate personal protective equipment and clothing to prevent exposure. Increase		
	ventilation. As a water based product, if spilt on electrical equipment the product will cause		
short-circuits. If possible contain the spill. Place inert absorbent material onto spillage. Col			
	the material and place into a suitable labelled container. Do not dilute material but contain.		
	Dispose of waste according to the applicable local and national regulations. If contamination		
	of sewers or waterways occurs inform the local water and waste management authorities in		
	accordance with local regulations.		

SECTION 7 – HANDLING AND STORAGE		
Handling	Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.	
Storage	Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.	

SECTION 8 – EXPOSURE C	CONTROLS AND PERSONAL PROTECTION
Exposure Limits	National Occupational Exposure Limits, as published by Safework Australia:
	Time-weighted Average (TWA):
	None established for product.
	Short Term Exposure Limit (STEL):
	None established for product.
Ventilation	No special requirements.
Personal Protective	Use good occupational work practice. The use of protective clothing and equipment depends
Equipment	upon the degree and nature of exposure. The following protective equipment should be
	available;
Eye Protection	Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning
	up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye
	protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors
	for Industrial Applications.
Hand Protection	Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and
(m)	nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves
	will vary according to individual circumstances. i.e. methods of handling or according to risk
	assessments undertaken. Occupational protective gloves should conform to relevant
	regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves -
	Selection, use and maintenance.
Body Protection	Suitable protective workwear, e.g. sleeves, boots and cotton overalls buttoned at neck and wrist
	are recommended. Chemical resistant apron is recommended where large quantities are
	handled.



DENSIFY - Lik

Date of Issue: April 2023

Version: #1.0

Page 4 of Total 6

Respirator

Generally not required for typical applications with diluted solutions as per label directions.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State	Non-viscous liquid	Colour	Clear
Odour	characteristic odour	Specific Gravity	1.05 – 1.12 @ 25 °C
Boiling Point	Approximately 105 – 108 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	рН	11.0 – 12.0 neat
Volatile Organic	0 % v/v	Per Cent Volatile	~80 % v/v
Compounds (VOC)			
Viscosity	Not available	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY			
Reactivity	Stable at normal temperatures and pressure.		
Conditions to Avoid	Extremes of temperature and direct sunlight.		
Incompatibilities	Reducing agents, oxidizing agents.		
Hazardous			
Decomposition	Thermal decomposition may result in the release of toxic and/or irritating fumes.		

#### SECTION 11 – TOXICOLOGICAL INFORMATION

SECTION II TOMICOLOGIN	
POTENTIAL HEALTH EFFECT	S
No adverse health effects ex	xpected if the product is handled in accordance with this Safety Data Sheet and the product label.
Symptoms or effects that m	ay arise if the product is mishandled and overexposure occurs are:
Inhalation	Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation.
	Exposure to high concentrations of the product in liquid form or as a mist may lead to possible harmful effects.
Skin contact	Prolonged contact with concentrate may be irritating to skin. The symptoms may include
	redness, itching and swelling.
Eye contact	Concentrated product causes eye irritation. Eye contact with concentrate will cause stinging, blurring, tearing.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Chronic exposure	No known effects.
<b>Toxicology Information</b>	Not toxic, based on ingredients. Oral LD50 (ATE calculated) : >5,000 mg/KG (BODY WEIGHT)
	Lithium compounds may damage the central nervous system. A large dose may have the
	following effects: headache, nausea, dizziness, convulsions and kidney damage.
Carcinogen Status	
SAFEWORK	No significant ingredient is classified as carcinogenic by SAFEWORK AUSTRALIA.
NTP	No significant ingredient is classified as carcinogenic by NTP.
IARC	No significant ingredient is classified as carcinogenic by IARC.
<b>Respiratory sensitisation</b>	Not expected to be a respiratory sensitizer.
Skin Sensitisation	Not expected to be a skin sensitizer.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
<b>Reproductive Toxicity</b>	Not considered to be toxic to reproduction.
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.



DENSIFY - Lik

Date of Issue: April 2023

Version: #1.0

Page 5 of Total 6

SECTION 12 – ECOLOGICAL	INFORMATION
Acute Aquatic Toxicity	Not harmful to aquatic life. LC50 > 100mg/L.
Product (as sold)	Acute Aquatic Toxicity (ATE Calculated) LC50: 800 - 1400 mg/L.
	Acute Aquatic Toxicity NOT HAZARDOUS
Persistence and degradability	Inorganic chemical – does not undergo biodegradation. This material is not persistent in aquatic systems, but its high pH when undiluted or unneutralized is acutely harmful to aquatic life. Diluted material rapidly depolymerizes to yield dissolved silica in a form that is indistinguishable from natural dissolved silica. It does not contribute to BOD.
Bio accumulative potential	This material does not bioaccumulate except in species that use silica as a structural material such as diatoms and siliceous sponges. Neither silica nor sodium will appreciably bioconcentrate up the food chain.
Mobility in soil	Expected to be mobile in soil. Diluted material rapidly depolymerizes to yield dissolved silica in a form that is indistinguishable from natural dissolved silica.
Other adverse effects	Not available
<b>Environmental Protection</b>	Do not discharge this material into waterways.

### SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of waste according to applicable local and national regulations. Do not allow into drains
or watercourses or dispose of where ground or surface waters may be affected. Wastes
including emptied containers are controlled wastes and should be disposed of in accordance
with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION	
Labels Required	None allocated.
ADG	Not classified as Dangerous Goods.
IMDG Marine Pollutant	No
HAZCHEM	None allocated.
Land Transport (ADG)	
UN Number	None allocated.
ADG Code	None allocated.
HAZCHEM Code	None allocated.
Special Provisions	None allocated.
Packing Group	None allocated.
Packaging Method	None allocated.
Segregation	None allocated.

SECTION 15 – REGULATORY INFORMATION	
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S5
ADG Code	Not DG
AICIS	All ingredients present on AICIS.
SECTION 16 – OTHER INFORMATION	
Issue Date	24 <sup>th</sup> April 2023
Version Number	V .0 GHS7 first issue.
Prepared by	This Safety Data Sheet has been prepared by Tuwai Specialties on behalf of its client.
	tuwai.wt@bigpond.com



## SAFETY DATA SHEET

DENSIFY - Lik

Date of Issue: April 2023 Version: #1.0

Page 6 of Total 6

Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
acronyms	AICS: Australian Inventory of Chemical Substances.
	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	<b>HAZCHEM:</b> An emergency action code of numbers and letters which gives information to emergency services.
	HSIS: Hazardous Substances Information System
	IARC: International Agency for Research on Cancer.
	NOHSC: National Occupational Health and Safety Commission.
	NTP: National Toxicology Program (USA).
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average. UN Number: United Nations Number.
1.1	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)
Literature references	
	GHS Hazardous Chemical Information List (Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)
	"Australian Exposure Standards". Safework Australia
	Australian Code For The Transport Of Dangerous Goods By Road And Rail
	Standard for the Uniform Scheduling of Medicines and Poisons
	Material Safety Data Sheets – individual raw materials – Suppliers
	HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.
	HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.
	ECHA – European Chemicals Agency.
Disclaimer	This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of thi product, and in particular how to safely handle and use this product in the workplace. Since the supplier canno
	anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or furthe
	information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.